FLORAL PARK OPHTHALMOLOGY

Lawrence F. Jindra, M.D. 5 Covert Avenue Floral Park, NY 11001 (516) 616-1710

POSTERIOR LASER CAPSULOTOMY (PLC)

PRE-OPERATIVE & POST OPERATIVE INSTRUCTIONS

PRE-OPERATIVE INSTRUCTIONS:

- Take all meds as usual.
- Take only Tylenol for pain.
- No eye make-up.
- No earrings or neck jewelry.
- No perfume.
- May eat a light breakfast or lunch but avoid Caffeine.
- Must have transportation and someone to accompany you to and from your surgery.
- Bring sunglasses.
- Time of arrival for your appointment will be confirmed with you by phone one day before procedure. Your eye will be pre-medicated ½ hour prior to procedure

POSTERIOR LASER CAPSULOTOMY (PLC)

POST-OPERATIVE INSTRUCTIONS:

- Take all meds as usual.
- Take only Tylenol for pain.
- No eye make-up for 3 days.
- No heavy lifting or heavy exertion for 3 days.
- Must have transportation and someone to accompany you to and from your surgery.
- Use sunglasses.
- Please use Prolensa in the operated eye. Use one drop, once a day, for one week <u>starting today</u>, <u>Friday</u>.
- Use over the counter Lubricant Eye Drops (Soothe, Systane, Refresh etc.) if surgery eye feels a pinching sensation or you feel like something is in the surgery eye. The laser can cause a drying sensation.

EYE MEDICATION INSTRUCTIONS AFTER LASER PROCEDURE

START MEDICATIONS SAME DAY AS LASER PROCEDURE

TAKE PROLENSA



ONE DROP IN:

RIGHT EYE _____ LEFT EYE _____

ONCE A DAY:

FOR ONE WEEK / FOR 3 DAYS / FOR REPEAT SLTS TAKE FOR 5 DAYS

RETURN TO OFFICE FOR FOLLOW-UP WITHIN:

Continue taking your eye medications (if you take any) unless directed otherwise by Dr. Jindra.

IN CASE OF AN EMERGENCY, FIRST CALL OFFICE. IF NO ANSWER, PLEASE LISTEN TO THE MESSAGE FOR FURTHER INSTRUCTIONS.